

L Number	Hits	Search Text	DB	Time stamp
1	1	5,513,363.pn.	USPAT	2004/07/21 12:12
2	5	("4323965" "5299321" "5333280" "5335333" "5440714").PN.	USPAT	2004/07/21 12:11
3	1	5,678035.pn.	USPAT	2004/07/21 12:15
4	2	("4980765" "5319603").PN.	USPAT	2004/07/21 12:15
5	1	6,084819.pn.	USPAT	2004/07/21 12:16
6	3	("4849937" "5287527" "5493535").PN.	USPAT	2004/07/21 12:16
7	47	365/\$.ccls. and register\$1 same (specific with bit) and (remain\$3 with bit\$1)	USPAT	2004/07/21 12:22
8	1	register\$1 same (connect\$3 with pair) same (output with port) same address same differ\$5	USPAT	2004/07/21 12:31
9	2445	register\$1 and (connect\$3 with pair) and (output with port) and address\$3 and differ\$5	USPAT	2004/07/21 12:35
10	6	(365/\$.ccls. and register\$1 same (specific with bit) and (remain\$3 with bit\$1)) and (register\$1 and (connect\$3 with pair) and (output with port) and address\$3 and differ\$5)	USPAT	2004/07/21 12:26
11	2	(specific with bit with differ\$5) and (remain\$3 with bit with identical)	USPAT	2004/07/21 12:35
12	3797	(specific with bit) and (remain\$3 with bit)	USPAT	2004/07/21 12:35
13	187	(register\$1 and (connect\$3 with pair) and (output with port) and address\$3 and differ\$5) and ((specific with bit) and (remain\$3 with bit))	USPAT	2004/07/21 12:37
14	2	(first with switch\$3 with specific with bit) and (second with switch\$3 with remain\$3 with bit\$1)	USPAT	2004/07/21 12:39
15	38	(switch\$3 with specific with bit) and (switch\$3 with remain\$3 with bit\$1)	USPAT	2004/07/21 12:39
16	1	((register\$1 and (connect\$3 with pair) and (output with port) and address\$3 and differ\$5) and ((specific with bit) and (remain\$3 with bit))) and ((switch\$3 with specific with bit) and (switch\$3 with remain\$3 with bit\$1))	USPAT	2004/07/21 12:39
-	6	365/230.03-230.05.ccls. and (register\$1 near2 pair\$1) and (msb or (specific near2 bit\$1)) and (lsb or (remain\$3 near2 bit\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 11:56
-	7	365/230.03-230.05.ccls. and (register\$1 near2 pair\$1) and (msb or (specific with bit\$1)) and (lsb or (remain\$3 with bit\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 12:02
-	11	365/230.03-230.05,189.02,200,189.12.ccls. and (register\$1 near2 pair\$1) and (msb or (specific with bit\$1)) and (lsb or (remain\$3 with bit\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 12:31
-	26	365/\$.ccls. and (register\$1 near2 pair\$1) and (msb or (specific with bit\$1)) and (lsb or (remain\$3 with bit\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 12:15
-	140	365/\$.ccls. and (register\$1 near2 (pair\$1 or two)) and (msb or (specific with bit\$1)) and (lsb or (remain\$3 with bit\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 12:19

-	114	(365/\$.ccls. and (register\$1 near2 (pair\$1 or two)) and (msb or (specific with bit\$1)) and (lsb or (remain\$3 with bit\$1))) not (365/\$.ccls. and (register\$1 near2 pair\$1) and (msb or (specific with bit\$1)) and (lsb or (remain\$3 with bit\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 09:35
-	3	((365/\$.ccls. and (register\$1 near2 (pair\$1 or two)) and (msb or (specific with bit\$1)) and (lsb or (remain\$3 with bit\$1))) not (365/\$.ccls. and (register\$1 near2 pair\$1) and (msb or (specific with bit\$1)) and (lsb or (remain\$3 with bit\$1)))) and stor\$3 with (multiport or (multi adj port\$1) or multi-port\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 12:18
-	59	365/230.03-230.05,189.02,200,189.12.ccls. and (register\$1 near2 (pair\$1 or two)) and (msb or (specific with bit\$1)) and (lsb or (remain\$3 with bit\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 07:07
-	27	365/230.03-230.05,189.02,200,189.12.ccls. and (register\$1 near2 (pair\$1 or two)) and (output with port\$1) and (msb or (specific with bit\$1)) and (lsb or (remain\$3 with bit\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 09:53
-	12	365/230.03-230.05,189.02,200,189.12,78,230. and (register\$1 near2 pair\$1) and (msb or (specific with bit\$1)) and (lsb or (remain\$3 with bit\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 12:39
-	14	365/230.03-230.05,189.02,200,189.12,78,230. and (register\$1 with (pair\$1 or two)) and (msb or (specific with bit\$1) with differ\$5) and (lsb or (remain\$3 with bit\$1)) and (output with port) and switch\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 09:24
-	41	365/230.03-230.05,189.02,200,189.12,78,230. and (register\$1 with (pair\$1 or two)) and (msb or (specific with bit\$1) with differ\$5) and (lsb or (remain\$3 with bit\$1)) and (output with port) and switch\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 12:53
-	1174	(register\$1 with (pair\$1 or two)) and (msb or (specific with bit\$1) with differ\$5) and (lsb or (remain\$3 with bit\$1)) and (output with port) and switch\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 09:34
-	6	(register\$1 with (pair\$1 or two)) same (msb or (specific with bit\$1) with differ\$5) same (lsb or (remain\$3 with bit\$1)) same (output with port) same switch\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 12:55
-	1	365/230.03-230.05,189.02,200,189.12,78,230. and (register\$1 with (pair\$1 or two)) same (msb or (specific with bit\$1) with differ\$5) same (lsb or (remain\$3 with bit\$1)) same (output with port) same switch\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 13:54
-	6	365/230.03-230.05,189.02,200,189.12,78,230. and (register\$1 with (pair\$1 or two)) same (msb or (specific with bit\$1) with differ\$5) same (lsb or (remain\$3 with bit\$1)) same (output with port) same switch\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 13:55
-	12	365/230.03-230.05,189.02,200,189.12.ccls. and (register\$1 near2 (pair\$1 or two)) same (msb or (specific with bit\$1)) and (lsb or (remain\$3 with bit\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 07:07
-	9	365/230.03-230.05,189.02,200,189.12.ccls. and (register\$1 near2 (pair\$1 or two)) same (msb or (specific with bit\$1)) same (lsb or (remain\$3 with bit\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 07:09

-	5	(register\$1 near2 (pair\$1 or two)) same (msb or (specific with bit\$1)) same (lsb or (remain\$3 with bit\$1)) and (stor\$3 with (multiport or (multi adj port\$1) or multi-port\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 07:12
-	35	(register\$1 near2 (pair\$1 or two)) and (msb or (specific with bit\$1)) and (lsb or (remain\$3 with bit\$1)) and (stor\$3 with (multiport or (multi adj port\$1) or multi-port\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 07:15
-	1	(register\$1 near2 (pair\$1 or two)) same connect\$3 same (output with port\$1) same (stor\$3 with (multiport or (multi adj port\$1) or multi-port\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 07:17
-	5	(register\$1 near2 (pair\$1 or two)) same connect\$3 same (output with port\$1) and (stor\$3 with (multiport or (multi adj port\$1) or multi-port\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 07:19
-	80	(register\$1 near2 (pair\$1 or two)) and connect\$3 and (output with port\$1) and (stor\$3 with (multiport or (multi adj port\$1) or multi-port\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 09:07
-	21	365/\$.ccls. and (register\$1 near2 (pair\$1 or two)) and connect\$3 and (output with port\$1) and (stor\$3 with (multiport or (multi adj port\$1) or multi-port\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 07:19
-	6	6118724.URPN.	USPAT	2004/07/21 12:20
-	15	365/230.03-230.05,230.08,189.02,200,189.12, and (register\$1 near2 (pair\$1 or two)) and connect\$3 and (output with port\$1) and (stor\$3 with (multiport or (multi adj port\$1) or multi-port\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 09:24
-	0	377/\$.ccls. and (register\$1 near2 (pair\$1 or two)) and connect\$3 and (output with port\$1) and (stor\$3 with (multiport or (multi adj port\$1) or multi-port\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 09:24
-	3	377/\$.ccls. and (register\$1 with (pair\$1 or two)) and (msb or (specific with bit\$1) with differ\$5) and (lsb or (remain\$3 with bit\$1)) and (output with port) and switch\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 09:25
-	34	(377/\$.ccls. and (register\$1 near2 (pair\$1 or two)) and (msb or (specific with bit\$1)) and (lsb or (remain\$3 with bit\$1))) not (365/\$.ccls. and (register\$1 near2 pair\$1) and (msb or (specific with bit\$1)) and (lsb or (remain\$3 with bit\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 09:36
-	1	377/74,78.ccls. and (register\$1 near2 (pair\$1 or two)) and (output with port\$1) and (msb or (specific with bit\$1)) and (lsb or (remain\$3 with bit\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 09:54
-	3	377/\$.ccls. and (register\$1 near2 (pair\$1 or two)) and (output with port\$1) and (msb or (specific with bit\$1)) and (lsb or (remain\$3 with bit\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/21 09:54